

| 資料NO | 施設名                                                                        | 題名                                                                                                                                                                                                                                                                                                  | 誌名                                                                 | 著者                                                                                                                                                                                                                                       | リンク先                                                                                                                                                                    |
|------|----------------------------------------------------------------------------|-----------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|--------------------------------------------------------------------|------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|-------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| 1    | 埼玉医大 代謝内科                                                                  | 2型糖尿病患者のオシロメトリック血圧測定による血管指標とFMD,IMTとの比較                                                                                                                                                                                                                                                             | Progress in Medicine 30:2003-2007, 2010.                           | 秋山義隆、久野裕輝、早川尚雅、重藤誠、栢澤政広、岡部正、松田昌文                                                                                                                                                                                                         | <a href="http://jglobal.jst.go.jp/public/20090422/201002222920778530">http://jglobal.jst.go.jp/public/20090422/201002222920778530</a>                                   |
| 2    | Advanced Industrial Science and Technology (AIST) (国)産業技術総合研究所             | Non-invasive assessment of arterial stiffness using oscillometric blood pressure measurement (オシロメトリック血圧計を用いた動脈スティフネス評価方法)                                                                                                                                                                          | BioMedical Engineering OnLine 2012, 11:6                           | Hidehiko Komine*, Yoshiyuki Asai, Takashi Yokoi and Mutsuko Yoshizawa                                                                                                                                                                    | <a href="https://www.ncbi.nlm.nih.gov/pmc/articles/PMC3359259/">https://www.ncbi.nlm.nih.gov/pmc/articles/PMC3359259/</a>                                               |
| 3    | (国研)理化学研究所                                                                 | A computational model of the cardiovascular system coupled with an upper-arm oscillometric cuff and its application to studying the suprasystolic cuff oscillation wave, concerning its value in assessing arterial stiffness (上腕オシロメトリックカフに連結された心血管系の計算モデルと、動脈硬度的の評価における suprasystolicカフの振動波の研究応用) | Computer Methods in Biomechanics and Biomedical Engineering        | Fuyou Liang a , Shu Takagi a b , Ryutaro Himeno c & Hao Liu d                                                                                                                                                                            | <a href="https://www.ncbi.nlm.nih.gov/pubmed/21916678">https://www.ncbi.nlm.nih.gov/pubmed/21916678</a>                                                                 |
| 4    | Kumamoto University 熊本大学循環器内科                                              | Association of estimated central blood pressure measured non-invasively with pulse wave velocity in patients with coronary artery disease (冠動脈疾患患者における非侵襲的に測定された推定中樞血圧と脈波伝播速度との関連)                                                                                                                  | IJC Heart & Vasculature 8 (2015) 52-54                             | Daisuke Sueta a, Eiichiro Yamamoto a, *, Tomoko Tanaka b, Yoshihiro Hirata a, Kenji Sakamoto a, Kenichi Tsujita a, Sunao Kojima a, Koichi Nishiyama b, Koichi Kaikita a, Seiji Hokimoto a, Hideaki Jinnouchi b, Hisao Ogawa a            | <a href="https://www.ncbi.nlm.nih.gov/pmc/articles/PMC5497261/">https://www.ncbi.nlm.nih.gov/pmc/articles/PMC5497261/</a>                                               |
| 5    |                                                                            | The accuracy of central blood pressure waveform by novel mathematical transformation of non-invasive measurement (非侵襲的測定から新しい数学的変換によってえられる中心血圧波形の精度)                                                                                                                                                | International Journal of Cardiology Available online 17 March 2015 | Daisuke Suetaa, Eiichiro Yamamotoa, . . Tomoko Tanakab, Yoshihiro Hirataa, Kenji Sakamotoa, Kenichi Tsujitaa, Sunao Kojimaa, Koichi Nishiyama, Koichi Kaikitaa, Seiji Hokimotoa, Hideaki Jinnouchib, Hisao Ogawa                         | <a href="https://pubmed.ncbi.nlm.nih.gov/25897917/">https://pubmed.ncbi.nlm.nih.gov/25897917/</a>                                                                       |
| 6    | The University of Tokyo 東京大学公衆衛生学教室                                        | Association between novel arterial stiffness indices and risk factors of cardiovascular disease(新しい動脈硬化指数と心血管疾患の危険因子との関連)                                                                                                                                                                           | BMC Cardiovascular Disorders (2016) 16:211                         | Masaki Okamoto1* , Fumiaki Nakamura 1, Terunaga Musha2 and Yasuki Kobayashi1                                                                                                                                                             | <a href="https://www.ncbi.nlm.nih.gov/pubmed/27821070">https://www.ncbi.nlm.nih.gov/pubmed/27821070</a>                                                                 |
| 7    | Tohoku University 東北大学内部障害                                                 | Arterial Stiffness Measured with the Cuff Oscillometric Method Is Predictive of Exercise Capacity in Patients with Cardiac Diseases(カフオシロメトリック法で測定された動脈の硬さは、心臓病患者の運動耐容能の予測値である)                                                                                                                     | Tohoku J. Exp. Med., 2016, 239.0 1s2c7il-1o1m34etr                 | Yasushi Tazawa,1 Nobuyoshi Mori,1 Yoshiko Ogawa,1 Osamu Ito1 and Masahiro Kohzuki1                                                                                                                                                       | <a href="https://www.jstage.jst.go.jp/article/tjem/239/2/239_127/article">https://www.jstage.jst.go.jp/article/tjem/239/2/239_127/article</a>                           |
| 8    | Tokyo Medical University 東京医科大循環器内科                                        | Comparison of the clinical significance of single cuff-based arterial stiffness parameters with that of the commonly used parameters(単一カフに基づく動脈硬化パラメータと一般的に使用されるパラメータとの臨床的意義の比較)                                                                                                                    | Journal of Cardiology xxx (2016) xxx-xxx                           | Shunsuke Komatsu (MD), Hirofumi Tomiyama (MD, FJCC) *, Kazutaka Kimura (MD), Chisa Matsumoto (MD), Kazuki Shiina (MD, FJCC), Akira Yamashina (MD, FJCC)                                                                                  | <a href="https://www.journal-of-cardiology.com/article/S0914-5087(16)30119-8/pdf">https://www.journal-of-cardiology.com/article/S0914-5087(16)30119-8/pdf</a>           |
| 9    |                                                                            | Increase in the Arterial Velocity Pulse Index of Patients with Peripheral Artery Disease 血管障害の評価にAVIを使用する際は、末梢動脈疾患(PAD=peripheral arterial disease)が存在する可能性を考慮しなければならない。                                                                                                                            | Pulse 2017;5:154-160                                               | Naotaka Murata Kazuki Shiina Jun Yamashita Nobuhiro Tanaka Taishiro Chikamori Akira Yamashina Hirofumi Tomiyama                                                                                                                          | <a href="https://www.ncbi.nlm.nih.gov/pubmed/29761091">https://www.ncbi.nlm.nih.gov/pubmed/29761091</a>                                                                 |
| 10   | Shanghai Ninth People's Hospital, Shanghai Jiao Tong University 上海交通大学第九病院 | Non-Invasive Assessment of Early Atherosclerosis Based on New Arterial Stiffness Indices Measured with an Upper-Arm Oscillometric Device(上腕オシロメトリック装置を用いて測定した新しい動脈硬さ指数に基づく早期アテローム性動脈硬化症の非侵襲的評価)                                                                                                     | Tohoku J. Exp. Med., 2017, 241, 263-27E0a                          | Yaping Zhang,1,* Ping Yin,1,* Zuojun Xu,1 Yushui Xie,1 Changqian Wang,1 Yuqi Fan,1 Fuyou Liang2 and Zhaofang Yin1                                                                                                                        | <a href="https://www.jstage.jst.go.jp/article/tjem/241/4/241_263/article">https://www.jstage.jst.go.jp/article/tjem/241/4/241_263/article</a>                           |
| 11   | Yokohama City University 横浜市立大学循環器内科                                       | Successful prediction of cardiovascular risk by new non-invasive vascular indexes using suprasystolic cuff oscillometric waveform analysis(収縮期圧以上のカフオシロメトリック波形解析を用いた新しい非侵襲的血管指標による心血管リスクの予測)                                                                                                        | Journal of Cardiology 69 (2017) 30-37                              | Rie Sasaki-Nakashima (MD)a,b, Tabito Kino (MD)a,b, Lin Chen (MD)a,b, Hiroshi Doi (MD)a,b, Shintaro Minegishi (MD, PhD)a,b, Kaito Abe (MD, PhD)a,b, Teruyasu Sugano (MD, PhD)a,b, Masataka Taguri (PhD)c, Tomoaki Ishigami (MD, PhD)a,b,* | <a href="https://www.journal-of-cardiology.com/article/S0914-5087(16)30121-6/fulltext">https://www.journal-of-cardiology.com/article/S0914-5087(16)30121-6/fulltext</a> |
| 12   |                                                                            | New non-invasive indexes of arterial stiffness are significantly correlated with severity and complexity of coronary atherosclerosis. 動脈硬化の新しい非侵襲性指数は、冠動脈アテローム性動脈硬化症の重症度および複雑さと有意に相関する。                                                                                                             | Clinical and Experimental Hypertension 2018 May 8:1-7.             | DoiH1.2, Ishigami T1.2, Nakashima-Sasaki R1.2, Kino T1.2, Chen L1.2, Arakawa K1.2, Teranaka S1.2, Minegishi S1.2, Abe K1.2, Ishikawa T1.2, Sugano T1.2, Tamura K1                                                                        | <a href="https://pubmed.ncbi.nlm.nih.gov/29737880/">https://pubmed.ncbi.nlm.nih.gov/29737880/</a>                                                                       |
| 13   | Hitsumoto Medical Clinic ひとつもと循環器内科CL                                      | Arterial Velocity Pulse Index as a Novel Marker of Atherosclerosis Using Pulse Wave Analysis on High Sensitivity Troponin T in Hypertensive Patients(高血圧患者の高感度トロポニンTと脈波解析を応用したアテローム性動脈硬化症のマーカーとしての速度脈波指標AVI)                                                                                        | Cardiol Res. 2017;8(2):36-43                                       | Takashi Hitsumoto                                                                                                                                                                                                                        | <a href="https://www.ncbi.nlm.nih.gov/pmc/articles/PMC5421484/">https://www.ncbi.nlm.nih.gov/pmc/articles/PMC5421484/</a>                                               |
| 14   |                                                                            | Relationships between the arterial velocity pulse index as a novel marker of atherosclerosis and biomarkers of cardiac or renal condition in patients with type 2 diabetes mellitus 2型糖尿病患者におけるアテローム性動脈硬化症の新規マーカーである動脈速度パルス指数と心臓または腎臓のバイオマーカーの関係                                                    | Diabetology International pp 1-8 2017                              | Takashi Hitsumoto                                                                                                                                                                                                                        | <a href="https://link.springer.com/article/10.1007/s13340-017-0329-8">https://link.springer.com/article/10.1007/s13340-017-0329-8</a>                                   |

|    |                                                                                                           |                                                                                                                                                                                                                                                                                 |                                                                                                                            |                                                                                                                                                                                                                                                                          |                                                                                                                                                                 |
|----|-----------------------------------------------------------------------------------------------------------|---------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|----------------------------------------------------------------------------------------------------------------------------|--------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|-----------------------------------------------------------------------------------------------------------------------------------------------------------------|
| 15 |                                                                                                           | Clinical Significance of Arterial Velocity Pulse Index in Patients With Stage B Heart Failure With Preserved Ejection Fraction 駆出率が維持されたB期心不全患者における動脈速度パルス指数の臨床的意義                                                                                                              | Cardiol Res. 2019;10(3):142-149                                                                                            | Takashi Hitsumoto                                                                                                                                                                                                                                                        | <a href="https://pubmed.ncbi.nlm.nih.gov/31236176/">https://pubmed.ncbi.nlm.nih.gov/31236176/</a>                                                               |
| 16 | Harumidai Clinic<br>晴海台CL 内科                                                                              | Effects of Long-term Physical Training on the Bearers of a Float during the Nagasaki Kunchi Festival (長崎くんち祭りにおける山車の担い手に対する長期練習の効果)                                                                                                                                             | Intern Med 56: 11-16, 2017                                                                                                 | Shigemori Shibata 1, Hiroaki Kawano 2 and Koji Maemura2                                                                                                                                                                                                                  | <a href="https://www.ncbi.nlm.nih.gov/pmc/articles/PMC5313419/">https://www.ncbi.nlm.nih.gov/pmc/articles/PMC5313419/</a>                                       |
| 17 | Teikyo University of Science<br>帝京科学大学運動生理                                                                | New indices of arterial stiffness measured with an upper-arm oscillometric device in active versus inactive women (若い女性における運動習慣の有無と上腕オシロメトリック装置で測定された新しい動脈硬化の指数)                                                                                                                | Physiol Rep, 6 (5), 2018, e13574.<br><a href="https://doi.org/10.14814/phy2.13574">https://doi.org/10.14814/phy2.13574</a> | Ryota Kobayashi 1 , Soichiro Iwanuma2, Nobuyuki Ohashi2 & Takeo Hashiguchi2                                                                                                                                                                                              | <a href="https://www.ncbi.nlm.nih.gov/pmc/articles/PMC5827568/">https://www.ncbi.nlm.nih.gov/pmc/articles/PMC5827568/</a>                                       |
| 18 | Nagasaki University<br>長崎大学先進予防医学                                                                         | Screening Validity of Arterial Pressure-Volume Index and Arterial Velocity-Pulse Index for Preclinical Atherosclerosis in Japanese Community-Dwelling Adults: the Nagasaki Islands Study (日本の地域社会に暮らす成人における症状発現前のアテローム性動脈硬化症のスクリーニングに対する動脈圧容積指数と動脈速度脈波指数の有効性)                   | J Atheroscler Thromb. 2018 Feb 3. doi: 10.5551/jat.43125. [Epub ahead of print]                                            | Hiroto Ymanashi                                                                                                                                                                                                                                                          | <a href="https://www.ncbi.nlm.nih.gov/pubmed/29398680">https://www.ncbi.nlm.nih.gov/pubmed/29398680</a>                                                         |
| 19 |                                                                                                           | Association of Arterial Pressure Volume Index With the Presence of Significantly Stenosed Coronary Vessels (有意に狭窄した冠動脈の存在と動脈圧容積指数との関連)                                                                                                                                          | J Clin Med Res. 2016;8(8):598-604                                                                                          | Takashi Uedaa, Shin-ichiro Miuraa, b, d, Yasunori Suematsua, Yuhei Shigaa, Takashi Kuwanao, Makoto Sugiharaa, Amane Ikea, Atsushi Iwataa, Hiroaki Nishikawaa, Kanta Fujimia, c,                                                                                          | <a href="https://www.ncbi.nlm.nih.gov/pmc/articles/PMC4931806/">https://www.ncbi.nlm.nih.gov/pmc/articles/PMC4931806/</a>                                       |
| 20 | Fukuoka University<br>福岡大学循環器内科                                                                           | Cardiac rehabilitation in patients with cardiovascular disease leads various hemodynamic parameters obtained using simple non-invasive tests to their appropriate levels 心臓血管疾患の患者の心臓リハビリテーションは、簡便な非侵襲的試験器を用いて得られた様々な血行動態パラメータを適切なレベルに導く                                        | IJC Heart & Vasculature 17 (2017) 23-29                                                                                    | Makito Futami a,1, Kanta Fujimi a,b,1, Takashi Ueda a, TakuroMatsuda b, Masaomi Fujita b, Kouji Kainob, Maaya Sakamoto a, Tomoe Horita c, Rie Koyoshi a, Tadaaki Arimura a, Yuhei Shiga a, Takashi Kuwanao a, Ken Kitajima a, Keijiro Saku a,d, Shin-ichiro Miura a,d, * | <a href="https://www.ncbi.nlm.nih.gov/pubmed/29201997">https://www.ncbi.nlm.nih.gov/pubmed/29201997</a>                                                         |
| 21 | Nippon Shinyaku Co., Ltd.<br>日本新薬・東海大学                                                                    | Effect of mangosteen pericarp extract on skin moisture and arterial stiffness: Placebo-controlled double-blinded randomized clinical trial マンゴスチン果皮抽出物が皮膚の水分および動脈硬化に及ぼす影響: プラセボ対照二重盲検ランダム化臨床試験                                                                                  | Glycative Stress Research                                                                                                  | Kazuhiro Maejima 1), Rei-ichi Ohno 2), Ryoji Nagai 2, 3), Shuji Nakata 4)                                                                                                                                                                                                | <a href="http://www.toukassress.jp/webj/article/2018/GS18-15.pdf">http://www.toukassress.jp/webj/article/2018/GS18-15.pdf</a>                                   |
| 22 | University of Miyazaki<br>宮崎大学循環器内科                                                                       | Seasonal variation of novel arterial stiffness indexes in Japanese hypertensive patients 日本人高血圧患者における新しい動脈硬化指数の季節変動                                                                                                                                                             | Clinical and Experimental Hypertension                                                                                     | Toshihiro Kita & Kazuo Kitamura                                                                                                                                                                                                                                          | <a href="https://www.ncbi.nlm.nih.gov/pubmed/30409046/">https://www.ncbi.nlm.nih.gov/pubmed/30409046/</a>                                                       |
| 23 | Niigata University<br>新潟大学医学総合研究科<br>先進血管病・塞栓症治療・予防講座<br>新潟大学医学総合研究科呼吸循環外科                                | Relationship between high intensity transient signals at common carotid artery by paste type probe and cerebro-cardiovascular disease in the residents in the area of Chu-etsu Oki Earthquake新潟県中越沖地震被災地域一般住民における貼り付け型プローブを用いた総頸動脈のhigh intensity transient signalsと脳・心血管疾患との関連 | Article in Neurosonology 32(2):46-52 January 2019                                                                          | 榛沢 和彦, 伊倉 真衣子, 岡本 竹司, 大久保 由華, 土田 正則, 中島 孝, 品田 恭子, 岡村 治                                                                                                                                                                                                                   | <a href="https://ci.nii.ac.jp/naid/130007709115/">https://ci.nii.ac.jp/naid/130007709115/</a>                                                                   |
| 24 | Yokohama City University<br>横浜市立大学循環器内科                                                                   | Successful prediction of clinical outcomes using arterial velocity pulse index, a new non-invasive vascular index, in Japan 新しい非侵襲的血管指標である動脈速度脈波指標 (AVI)は臨床転帰を良好に予測する                                                                                                           | Vascular Failure 2019; 3(2): 43-50                                                                                         | Rie Sasaki-Nakashima1), Tomoaki Ishigami1), Tabito Kino1), Sae Teranaka-Saigo1), Lin Chen1), Hiroshi Doi1), Michiko Sugiyama1), Shintaro Minegishi1), Kentaro Arakawa1), Kaito Abe1), Hiromichi Wakui1), Kengo Azushima1), Kouichi Tamura1)2) and Kazuo Kimura1)2)       | <a href="https://www.ijstage.ist.go.jp/article/vascfail/3/2/3_43/article/-char/en">https://www.ijstage.ist.go.jp/article/vascfail/3/2/3_43/article/-char/en</a> |
| 25 | Department of Cardiology,<br>The First Affiliated Hospital,<br>Chengdu Medical College<br>成都医療大学          | Roles of arterial pressure volume index and arterial velocity pulse index trajectories in risk prediction in hypertensive patients with heart failure with preserved ejection fraction                                                                                          | Journal Clinical and Experimental Hypertension Volume 42, 2020 - Issue 5                                                   | Jindong Wan 1 2, Sen Liu 1 2, Yi Yang 1 2, Dan Wang 1 2, Fei Ran 1 2, Siwei Xia 1 2, Shuangtao Ma 3, Jixin Hou 1 2, Peng Zhou 1 2, Yun Sun 4, Peijian Wang 1 2                                                                                                           | <a href="https://www.tandfonline.com/doi/full/10.1080/10641963.2019.1705319">https://www.tandfonline.com/doi/full/10.1080/10641963.2019.1705319</a>             |
| 26 | School of Naval<br>Architecture, Ocean & Civil<br>Engineering, Shanghai Jiao<br>Tong University<br>上海交通大学 | Theoretical Method and Clinical Experiments for Estimating Arterial Stiffness Based on Upper-Arm Cuff Oscillometric Wave                                                                                                                                                        | 中国医疗设备 2018, Vol. 33 Issue (4): 22-28 DOI: 10.3969/j.issn.1674-1633.2018.04.006                                            | ZHANG Xujie1, ZHANG Yaping2, YIN Zhaofang3, QIN Kairong4, LIANG Fuyou1                                                                                                                                                                                                   | <a href="http://cs.china-cmd.org/zgylsb/CN/abstract/abstract3246.shtml">http://cs.china-cmd.org/zgylsb/CN/abstract/abstract3246.shtml</a>                       |
| 27 | Department of Cardiology,<br>Kurume University Medical<br>Center,Kurume<br>久留米大学                          | Increased arterial velocity pulse index is an independent factor related to skeletal muscle mass reduction and tissue damage in patients with cardiovascular disease                                                                                                            | Hypertension Research (2020) 43:534-542                                                                                    | Haruhito Harada1, Hisao Ikeda2, Yasuhiro Nishiyama1, Hiroshi Niiyama1, Atsushi Katoh1, Hisashi Kai1                                                                                                                                                                      | <a href="https://www.nature.com/articles/s41440-020-0404-6">https://www.nature.com/articles/s41440-020-0404-6</a>                                               |
| 28 | West China Hospital, Sichuan<br>University<br>四川医学院                                                       | New indices of arterial stiffness correlate with disease severity and mid-term prognosis in acute decompensated heart failure                                                                                                                                                   | Internal and Emergency Medicine Official Journal of the Italian Society of Internal Medicine                               | Junteng Zhou, Yushu Wang, Yizhou Feng, Xiaojing Chen & Qing Zhang                                                                                                                                                                                                        | <a href="https://link.springer.com/article/10.1007/s11739-020-02486-x">https://link.springer.com/article/10.1007/s11739-020-02486-x</a>                         |
| 29 | 長崎県農林技術開発センター<br>食品加工研究室                                                                                  | 摘果ミカンと緑茶三番茶葉を混合揉捻して製造した発酵茶摂取が動脈血管の柔軟性に及ぼす影響 —ランダム化二重盲検プラセボ対照並行群間比較試験—                                                                                                                                                                                                           | Jpn Pharmacol Ther (薬理と治療) vol. 49 no. 1 2021                                                                              | 富田 裕次1) 田中 隆2) 松井 利郎3) 大曲 勝久4) 湯淺 正洋4) 山本咲暁子4) 田中 一成4)                                                                                                                                                                                                                   | <a href="http://www.pieronline.jp/content/article/0386-3603/49010/63">http://www.pieronline.jp/content/article/0386-3603/49010/63</a>                           |

|    |                                                                                                   |                                                                                                                                                                                                |                                                                                                                                   |                                                                                                                                                                                                                                                                                                                                                                                    |                                                                                                                                                         |
|----|---------------------------------------------------------------------------------------------------|------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|-----------------------------------------------------------------------------------------------------------------------------------|------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|---------------------------------------------------------------------------------------------------------------------------------------------------------|
| 30 | Juntendo University<br>順天堂大学                                                                      | Arterial Stiffness Index and Exercise Tolerance in Patients Undergoing Cardiac Rehabilitation                                                                                                  | Int Heart J Advance Publication                                                                                                   | Kei Fujiwara 1, Kazunori Shimada 1 2 3, Miho Nishitani–Yokoyama 1 2, Mitsuhiro Kunimoto 1, Tomomi Matsubara 1, Rie Matsumori 1, Abidan Abulimiti 1 3, Tatsuro Aikawa 1, Shohei Ouchi 1, Megumi Shimizu 1, Kosuke Fukao 1, Tetsuro Miyazaki 1, Akio Honzawa 2, Miki Yamada 2, Masakazu Saitoh 4, Tomoyuki Morisawa 4, Tetsuya Takahashi 4, Hiroyuki Daida 1 3 4, Tohru Minamino 1 5 | <a href="https://pubmed.ncbi.nlm.nih.gov/33731517/">https://pubmed.ncbi.nlm.nih.gov/33731517/</a>                                                       |
| 31 | Teikyo University of Science<br>帝京科学大学                                                            | Effect of aerobic exercise training frequency on arterial stiffness in middle-aged and elderly females                                                                                         | The Journal of Physical Therapy Science                                                                                           | Ryota Kobayashi, PhD1)*, Kenji Asaki2), Takeo Hashiguchi, PhD3), Hideyuki Negoro, MD, PhD4, 5)                                                                                                                                                                                                                                                                                     | <a href="https://pubmed.ncbi.nlm.nih.gov/35527837/">https://pubmed.ncbi.nlm.nih.gov/35527837/</a>                                                       |
| 32 | Kanazawa University<br>金沢大学                                                                       | Relationships between muscle sympathetic nerve activity and novel indices of arterial stiffness using single oscillometric cuff in patients with hypertension                                  | Physiological Reports. 2022;10:e15270.                                                                                            | Hiroyuki Sugimoto1   Takuto Hamaoka1,2   Hisayoshi Murai1,3   Tadayuki Hirai1   Yusuke Mukai1   Takashi Kusayama1   Shinichiro Takashima1   Takeshi Kato1   Shigeo Takata3   Soichiro Usui1   Kenji Sakata1   Masa-Aki Kawashiri1   Masayuki Takamura1                                                                                                                             | <a href="https://pubmed.ncbi.nlm.nih.gov/35587702/">https://pubmed.ncbi.nlm.nih.gov/35587702/</a>                                                       |
| 33 | Shanghai University of Medicine & Health Sciences<br>Affiliated Zhoupu Hospital<br>上海大学           | Effects of high-intensity interval training on improving arterial stiffness in Chinese female university students with normal weight obese a pilot randomized controlled trial                 | J Transl Med<br>2022 Feb 2:20(1):60.                                                                                              | Jingyun Hu1†, Min Liu2†, Ruoyu Yang3†, Liyan Wang3, Leichao Liang3, Yuanyan Yang3, Shihao Jia3, Ruiyi Chen3, Qianle Liu3, Yu Ren3, Lei Zhu2 and Ming Cai4*                                                                                                                                                                                                                         | <a href="https://pubmed.ncbi.nlm.nih.gov/35109880/">https://pubmed.ncbi.nlm.nih.gov/35109880/</a>                                                       |
| 34 | Department of Cardiovascular Medicine,<br>Kagoshima City Hospital,<br>Kagoshima, Japan<br>鹿児島市民病院 | Noninvasive Assessment of Arterial Stiffness Using Oscillometric Methods: baPWV, CAVI, API, and AVI                                                                                            | The official journal of the Japan Atherosclerosis Society and the Asian Pacific Society of Atherosclerosis and Vascular Diseases  | Masaaki Miyata                                                                                                                                                                                                                                                                                                                                                                     | <a href="https://www.ncbi.nlm.nih.gov/pmc/articles/PMC6143778/">https://www.ncbi.nlm.nih.gov/pmc/articles/PMC6143778/</a>                               |
| 35 | Department of Ultrasound,<br>First Hospital of Shanxi Medical University<br>山西医科大学第一医院            | Relationship of arterial stiffness and central hemodynamics with cardiovascular risk in hypertension                                                                                           | American Journal of Hypertension                                                                                                  | Lin Jin, Jianxiong Chen, Mengjiao Zhang, Lei Sha, Mengmeng Cao, Lanyue Tong, Qingqing Chen, Cuiqin Shen, Lianfang Du, Zhaojun Li, Liping Liu                                                                                                                                                                                                                                       | <a href="https://pubmed.ncbi.nlm.nih.gov/36645322/">https://pubmed.ncbi.nlm.nih.gov/36645322/</a>                                                       |
| 36 | Yokohama City University<br>横浜市立大学循環器内科                                                           | Upper-Arm SBP Decline Associated with Repeated Cuff–Oscillometric Inflation Significantly Correlated with the Arterial Stiffness Index                                                         | Journal of Clinical Medicine                                                                                                      | Noriyuki Kawaura 1, Rie Nakashima–Sasaki 1, Hiroshi Doi 2, Kotaro Uchida 1, Takuya Sugawara 1, Sae Saigo 3, Kaito Abe 1, Kentaro Arakawa 1, Koichi Tamura 1, Kiyoshi Hibi 4 and Tomoaki Ishigami 1,*                                                                                                                                                                               | <a href="https://pubmed.ncbi.nlm.nih.gov/36362683/">https://pubmed.ncbi.nlm.nih.gov/36362683/</a>                                                       |
| 37 | Shanghai General Hospital,                                                                        | Relative contributions of arterial stiffness to cardiovascular disease risk score in Chinese women in Framingham and China–PAR model                                                           | Frontiers in Cardiovascular Medicine                                                                                              | Lin Jin1,2, Jianxiong Chen3, Lingheng Wu3, Mengjiao Zhang1, Jiali Sun1, Cuiqin Shen1, Lianfang Du4, Dingqian Wang5 and Zhaojun Li1,4*                                                                                                                                                                                                                                              | <a href="https://pubmed.ncbi.nlm.nih.gov/37396573/">https://pubmed.ncbi.nlm.nih.gov/37396573/</a>                                                       |
| 38 | Faculty of Medicine, Nara Medical University                                                      | A Workcation Improves Cardiac Parasympathetic Function during Sleep to Decrease Arterial Stiffness in Workers                                                                                  | Healthcare 2022, 10, 2037.<br><a href="https://doi.org/10.3390/healthcare10102037">https://doi.org/10.3390/healthcare10102037</a> | Hideyuki Negoro 1,2,*、† and Ryota Kobayashi 3,†                                                                                                                                                                                                                                                                                                                                    | <a href="https://pubmed.ncbi.nlm.nih.gov/36292483/">https://pubmed.ncbi.nlm.nih.gov/36292483/</a>                                                       |
| 39 | Nippon Shinyaku Co., Ltd.,                                                                        | Effects of hot water extract of mangosteen pericarp on vascular function: Re-analysis focusing on factors affecting vascular function.                                                         | Glycative Stress Research                                                                                                         | Kenjiro Hayashi, Aoi Kiyokawa, Kazuhiro Maejima                                                                                                                                                                                                                                                                                                                                    | <a href="https://www.istage.ist.go.jp/article/gsr/9/3/9_170/article/-char/ia/">https://www.istage.ist.go.jp/article/gsr/9/3/9_170/article/-char/ia/</a> |
| 40 | Hitsumoto Medical Clinic<br>ひつもと循環器内科CL                                                           | Relationships Between Arterial Pressure–Volume Index and Cardiovascular Disease Biomarkers in Patients With Hypertension                                                                       | J Clin Med Res. 2022;14(6):229–236                                                                                                | Takashi Hitsumoto                                                                                                                                                                                                                                                                                                                                                                  | <a href="https://pubmed.ncbi.nlm.nih.gov/35836723/">https://pubmed.ncbi.nlm.nih.gov/35836723/</a>                                                       |
| 41 | Shanghai Jiao Tong University                                                                     | Threshold values of brachial cuff–measured arterial stiffness indices determined by comparisons with the brachial–ankle pulse wave velocity: a cross-sectional study in the Chinese population | Front Cardiovasc Med                                                                                                              | Xujie Zhang1, Yumin Jiang2, Fuyou Liang1,3* and Jianping Lu2*                                                                                                                                                                                                                                                                                                                      | <a href="https://pubmed.ncbi.nlm.nih.gov/37522090/">https://pubmed.ncbi.nlm.nih.gov/37522090/</a>                                                       |
| 42 | Shanghai University of Traditional Chinese Medicine                                               | Uncoupling of the center–to–periphery arterial stiffness gradient and pulse pressure amplification in viral pneumonia infection                                                                | BMC Infectious Diseases                                                                                                           | Lin Jin1,2, Lingheng Wu2,3, Jianxiong Chen2,3, Mengjiao Zhang2, Jiali Sun2, Cuiqin Shen2, Lianfang Du4, Xiaoyin She5 and Zhaojun Li2,4                                                                                                                                                                                                                                             | <a href="https://pubmed.ncbi.nlm.nih.gov/37798630/">https://pubmed.ncbi.nlm.nih.gov/37798630/</a>                                                       |
| 43 | 独立行政法人労働者健康安全機構労働安全衛生総合研究所                                                                        | 職場トラックドライバーの職場における血圧上昇要因の検討                                                                                                                                                                    | 令和4年度労災疾病臨床研究事業費補助金「過労死等の実態解明と防止対策に関する総合的な労働安全衛生研究」分担研究報告書（疫学研究）                                                                  | 研究分担者 松元 俊                                                                                                                                                                                                                                                                                                                                                                         | <a href="https://records.johas.go.jp/rep76.pdf">https://records.johas.go.jp/rep76.pdf</a>                                                               |
| 44 | Nanjing Medical University                                                                        | Association between Fruit and Vegetable Intake and Arterial Stiffness_ The China–PAR Project                                                                                                   | Biomed Environ Sci.                                                                                                               | Shuai Liu 1, Fang Chao Liu 2, Jian Xin Li 2, Ke Yong Huang 2, Xue Li Yang 3, Ji Chun Chen 2, Jie Cao 2, Shu Feng Chen 2, Jian Feng Huang 2, Chong Shen 4, Xiang Feng Lu 5, Dong Feng Gu 6                                                                                                                                                                                          | <a href="https://pubmed.ncbi.nlm.nih.gov/38199223/">https://pubmed.ncbi.nlm.nih.gov/38199223/</a>                                                       |